

第8表 性能試験成績表 (2)

計算式番号 測定番号	⑯ 冷却水損失熱量 Kcal/h $\times 10^3$	⑰ 冷却損失 (%)	⑱ 正味熱効率 (%)	⑲ 摩擦損失 (%)	⑳ 軸トルク (Kgf·m)	㉑ 修正係数	㉒ 修正出力 (PS·h)	㉓ 修正軸トルク (Kgf·m)	㉔ 軸平均有効圧力 (Kgf/cm <sup>2</sup> )	熱			定	
										正味熱効率 (%)	排気損失 (%)	冷却損失 (%)		摩擦・放射損失 (%)
1	66.0	15.84	25.71	30.53	8.67	6,661	1,005	29.91	6,694	7,387	30.53	35.09	25.71	8.67
2	66.0	15.18	26.18	28.98	10.63	6,876	1,005	26.72	6,910	7,624	28.98	34.21	26.18	10.63
3	66.0	14.52	26.82	28.13	15.26	7,162	1,005	24.22	7,198	7,940	28.13	29.79	26.82	15.26
4	65.0	13.65	28.09	26.26	18.84	7,377	1,005	20.29	7,414	8,177	26.26	26.81	28.09	18.84
5	59.0	10.62	26.07	25.38	26.92	7,234	1,005	16.44	7,270	8,019	25.38	21.63	26.07	26.92
6	66.0	12.54	39.62	23.76	14.98	6,876	1,005	11.96	6,910	7,624	23.76	21.64	39.62	14.98
7	66.0	15.84	26.07	28.62	10.37	6,159	1,005	27.66	6,190	6,826	28.62	34.94	26.07	10.37
8	65.0	13.65	24.41	29.01	14.12	6,517	1,005	25.79	6,550	7,226	29.01	32.46	24.41	14.12
9	65.0	13.65	25.61	27.89	16.14	7,019	1,005	23.64	7,054	7,782	27.89	30.36	25.61	16.14
10	60.0	12.00	26.82	30.55	15.75	7,377	1,005	21.74	7,414	8,177	30.55	26.88	26.82	15.75
11	63.0	11.97	29.78	27.26	21.64	7,305	1,005	17.43	7,342	8,098	27.26	21.32	29.78	21.64
12	65.0	12.35	40.39	24.29	13.70	6,732	1,005	11.81	6,766	7,466	24.29	21.62	40.39	13.70
13	67.0	14.74	27.15	25.62	13.20	4,942	1,005	22.12	4,967	5,475	25.62	34.03	27.15	13.20
14	68.0	14.28	28.31	27.01	12.47	5,515	1,005	21.67	5,543	6,115	27.01	32.21	28.31	12.47
15	69.0	13.11	28.00	28.06	13.81	6,231	1,005	20.90	6,262	6,905	28.06	30.13	28.00	13.81
16	67.0	12.73	31.25	28.38	13.22	6,517	1,005	18.38	6,550	7,221	28.38	27.15	31.25	12.22
17	65.0	11.70	34.22	28.02	14.48	6,876	1,005	15.24	6,910	7,624	28.02	23.28	34.22	14.48
18	63.0	10.08	34.72	23.68	19.52	6,661	1,005	10.93	6,694	7,379	23.68	22.08	34.72	19.52